

CLARITY™

Designed For Happiness





CARBON



SEDIMENT




900 & 1100 IV
ACTIVATED COCONUT CARBON

Premium Series

- EASILY INSTALLABLE & REPLACEABLE
- 100 % VIRGIN FOOD GRADE PLASTIC
- GLOSSY FINISH
- RELIABLE & QUALITY TESTED



MINERAL CARTRIDGE



PUSH



THREAD



- PURIFIES WATER AND STABILIZES pH
- HIGH DURABILITY
- PUSH & THREAD
- 5 STAGE & 7 STAGE



MEMBRANE ELEMENT – 100 GPD
Best Performance at high TDS



HYDROMATIC – 75 - 80 - 100 - 300 GPD
Best Performance at high TDS




PUMP PRO 100 GPD



DIAPHRAGM BOOSTER PUMP

Product	PRO 100 GPD
Volts	24 V
Rated Current	1.8 A
Working Current	≤ 1.3 A
Inlet Pressure	0 psi
Suitable Water Temperature	5°C~45°C
Self Suction Height	2.5 M
Working Pressure	70 psi
Working Flow	≥ 800ml/min
Max. Pressure	130± 10 psi






PUMP NEO 100 GPD



DIAPHRAGM BOOSTER PUMP

Product	NEO 100 GPD
Volts	24 V DC
Working Pressure	90 PSI
Working Flow	1000 ml/min.
Working Current	1 AMP
Open Flow	1800 ml/min.
Self Suction Height	2.5 M
Maximum Current	1.4 AMP
Inlet Pressure	20 PSI
Bypass Pressure	± 150 PSI





SILVER




GOLD




PP SPUN SLIM / JUMBO – 10"/20"

- Easy to Install & Replace
- Remove Chlorine & Organic Chemicals
- Long Service Life

PRE FILTER HOUSING & MEMBRANE HOUSING



AAA



TSP



BBB



- EASY DURABILITY
- HIGH PRESSURE CAPACITY
- EASY TO INSTALL
- STURDY CONSTRUCTION



RO TUBING
SIZE : 1/4" – 3/8"



UV LED & LAMP



PLASTIC & BRASS RO INLET VALVE



SOLENOID VALVE



SMPS




ALL TYPES FITTING/
CONNECTOR/BULKHEAD




TAFOLON TAPE


CLAMP & WRENCH




X - 2'' x 2''




X - 2'' x 2.5''




X - 2.5'' x 2.5''



C - 2''



C - 2.5''



C - 300 G



AG HOUSING



10''



3 - in - 1



20''

- EASY DURABILITY
- HIGH PRESSURE CAPACITY

- EASY TO INSTALL
- STURDY CONSTRUCTION

FLOT VALVE & SWITCH



DL TYPE FLOAT - ABS



KT TYPE FLOAT - ABS



ADJUSTABLE FLOAT - PP



TVS CHERRY

- EASY DURABILITY
- HIGH PRESSURE CAPACITY

- EASY TO INSTALL
- STURDY CONSTRUCTION